

Applicant : Gregg L. Shedd
Serial No. : 10/688,668
Filed : October 17, 2003
Page : 2 of 16

Attorney's Docket No.: P-US-TN-3305

RECEIVED
CENTRAL FAX CENTER

MAR 12 2007

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (previously presented): A saw comprising:
 - a base;
 - a frame assembly disposed on the base;
 - a first rail disposed on the frame assembly, the first rail having a longitudinal axis;
 - a table slidingly disposed on the first rail, the table being movable in a direction substantially parallel to the longitudinal axis;
 - a saw assembly disposed on at least one of the base and the frame assembly, the saw assembly comprising a support assembly, a motor assembly pivotably supported by the support assembly, the motor assembly being pivotable about a pivot axis substantially parallel to the longitudinal axis, and a cutting wheel driven by the motor assembly, the cutting wheel having a plane substantially parallel to the pivot axis; and
 - a switch electrically connected to the motor assembly and disposed on the support assembly so that, when the motor assembly is pivoted about the pivot axis, the switch remains stationary.
2. (original): The saw of Claim 1, wherein the first rail has a first end, and the table is movable beyond the first end.
3. (original): The saw of Claim 1, wherein the table is movable beyond the base.
4. (original): The saw of Claim 1, wherein the base is formed as a tub.

Applicant : Gregg L. Shetty
Serial No. : 10/688,668
Filed : October 17, 2003
Page : 3 of 16

Attorney's Docket No.: P-US-TN-3305

5. (original): The saw of Claim 1, wherein the frame is made of aluminum.

6-65 (canceled).

66. (currently amended) ~~The saw of claim 1~~ A saw comprising:

a base;

a frame assembly disposed on the base;

a first rail disposed on the frame assembly, the first rail having a longitudinal axis;

a table slidingly disposed on the first rail, the table being movable in a direction substantially parallel to the longitudinal axis;

a saw assembly disposed on at least one of the base and the frame assembly, the saw assembly comprising a support assembly, a motor assembly pivotably supported by the support assembly, the motor assembly being pivotable about a pivot axis substantially parallel to the longitudinal axis, and a cutting wheel driven by the motor assembly, the cutting wheel having a plane substantially parallel to the pivot axis; and

a switch electrically connected to the motor assembly and disposed on the support assembly so that, when the motor assembly is pivoted about the pivot axis, the switch remains stationary,

wherein the support assembly comprises a generally U-shaped member having first and second legs with the switch disposed on the U-shaped member and the motor assembly pivotably supported by the first and second legs.

67. (currently amended) ~~The saw of claim 1~~ A saw comprising:

a base;

a frame assembly disposed on the base;

a first rail disposed on the frame assembly, the first rail having a longitudinal axis;

a table slidingly disposed on the first rail, the table being movable in a direction substantially parallel to the longitudinal axis;

Applicant : Gregg L. Shedd
Serial No. : 10/688,668
Filed : October 17, 2003
Page : 4 of 16

Attorney's Docket No.: P-US-TN-3305

a saw assembly disposed on at least one of the base and the frame assembly, the saw assembly comprising a support assembly, a motor assembly pivotably supported by the support assembly, the motor assembly being pivotable about a pivot axis substantially parallel to the longitudinal axis, and a cutting wheel driven by the motor assembly, the cutting wheel having a plane substantially parallel to the pivot axis; and

a switch electrically connected to the motor assembly and disposed on the support assembly so that, when the motor assembly is pivoted about the pivot axis, the switch remains stationary,

wherein the support assembly comprises a support member disposed on at least one of the base and the frame assembly, and a generally U-shaped member coupled to the support member, the switch being disposed on the generally U-shaped member.

68. (new) The saw of claim 67, wherein the motor assembly is pivotably supported by the first and second legs.

69. (new) The saw of claim 67 wherein the support member includes an electrical outlet.